



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Monroe County are stored on microfilm Reel 4658 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

TION

RIW

South Boundary B135.

April 5th 1811. From the cor. of T. 9 N. 10 N. 1 W.
 East On the South Boundary of sec. 31. T. 10 N. 1 W.
 23.00 To a Brook 10 links wide, comes N.
 40.00 Set a $\frac{1}{4}$ suppost from which
 Ash. 30 in dist. bears North 15 links dist. to,
 Birch. 14 " " S 78 E 27 " "
 60.50 To a Brook 8 links wide, comes N. E.
 80.00 Set a post for the cor. of sec. 31 & 32 from which,
 Sugar. 14 in dist. bears S 38 E 5 links dist. to,
 Birch. 13 " " N 17 E 28 " "
 Land rich and hilly Timber Birch, Ash, & Buckeye

East On the South Boundary of sec. 32. T. 10 N. 1 W.
 150 To a Brook 150 links wide, comes N. W.
 5.00 " " 150 " " " S. E.
 11.00 " " 150 " " " N. W.
 40.00 Set a $\frac{1}{4}$ suppost from which,
 Birch, 18 in dist. bears S 61 W. 16 links dist. to,
 10. 11 " " " S 57 E 30 " "
 80.00 Set a post for the cor. of sec. 32 & 33 from which,
 W Oak 14 in dist. bears S 65 E 27 links dist. to,
 Birch. 5 " " " N 21 E 23 " "
 Land a flat bottom, covered with water Timber Maple
 & Elm,

East On the South Boundary of sec. 33. T. 10 N. 1 W.
 10.00 To a Brook 6 links wide, comes S. E.
 17.00 " " 10 " " " S. W.
 40.00 Set a $\frac{1}{4}$ suppost from which
 Ash 20 in dist. bears S 81 W. 16 links dist. to,
 Birch. 10 " " " N 55 E 15 " "
 80.00 Set a post for the cor. of sec. 33 & 34 from which

South Boundary B 135.

April 5th 1811. From the cor. of T. 9 & 10 N. R. 1 W.
 East On the South Boundary of sec. 31. T. 10 N. R. 1 W.
 23.00 To a Brook 10 links wide, corner N.
 40.00 Set a $\frac{3}{4}$ sap post from which
 Ash. 30 in dia. bears North 15 links dist. to,
 Birch. 14 " " " S 78 E. 27 " "
 60.50 To a Brook 8 links wide, corner S. E.
 80.00 Set a post for the cor. of sec. 31 & 32 from which,
 Sugar. 14 in dia. bears S 8 E. 5 links dist. to,
 Birch. 13 " " " N 1 E. 28 " "
 Land rich and hilly Timber Birch, Ash, & Buckeye

East On the South Boundary of sec. 32. T. 10 N. R. 1 W.
 150 To a Brook 150 links wide, corner N. W.
 5.00 " " Do. 150 " " " S. E.
 11.00 " " Do. 150 " " " N. W.
 40.00 Set a $\frac{3}{4}$ sap post from which,
 Birch, 18 in dia. bears S 1 W. 16 links dist. to,
 Do. 11 " " " N 57 E. 30 " "
 80.00 Set a post for the cor. of sec. 32 & 33 from which,
 W Oak 14 in dia. bears S 65 E. 27 links dist. to,
 Birch. 5 " " " N 21 E. 23 " "
 Land flat bottom, covered with water Timber Maple
 & Elm,

East On the South Boundary of sec. 33. T. 10 N. R. 1 W.
 10.00 To a Brook 6 links wide, corner S. E.
 17.00 " " Do. 10 " " " N. W.
 40.00 Set a $\frac{3}{4}$ sap post from which
 Ash 20 in dia. bears S 81 W. 16 links dist. to,
 Birch 10 " " " N 55 E. 15 " "
 80.00 Set a post for the cor. of sec. 33 & 34 from which,

	<p>Atk. 12 in dia^r bear. N 71 E. 5 links dist; 7a, Buck 18 " " " S 48 W. 19 " " Hilky Oak land as above.</p>
East	On the South Boundary of sec. 34 T. 10 N. R. 1 W.
40.00	Set a 7 th suppost from which, Sym. 30 in dia ^r bear. N 40 E. 9 links dist; 7a, Buck. 10 " " " S 49 W. 9 " "
57.00	Set a Creek 150 links wide, course NW.
65.00	" " No. 150 " " " NW.
80.00	Set a post for the cor of sec. 34 & 35. From which, Buck 12 in dia ^r bear. N 57 W. 34 links dist; 7a, No. 211 " " " S 50 E. 28 " " Land flat bottom Timber Buck, Elm, & Maple
East	On the South Boundary of sec. 35 T. 10 N. R. 1 W.
8.50	Set a Brook 40 links wide, course S.
32.50	" " Creek 150 links wide, course NW.
38.50	" " No. 150 " " " NW.
40.00	Set a 7 th suppost from which, Sym. 16 in dia ^r bear. S 46 W. 6 links dist; 7a, Buck. 5 " " " N 38 E. 19 " "
59.00	Set a post on the Boundary line of Harrison's Purchase for the cor of tract. Sec. 35. From which, Nicks 4 in dia ^r bear. N 33 E. 111 links dist; 7a, No. 204 " " " S 20 W. 20 " " Low mt. Buck, bottom land.
	Surveyed by James Holmes Deputy Surveyor.
West	On a Random line On the South Boundary of sec. 36. T. 10 N. R. 1 W.
40.00	Set a temp ^t 7 th suppost.

80.00	Set a temp ^t post for the cor of sec. 35 & 36.
91.00	Set 360 links South of the cor of sec. 35 & 36, on Boundary line. Land very broken & Hilky Timber Nicks Oak, Ash, Sugar,
East	On the line On the South Boundary of sec. 35. T. 10 N. R. 1 W. N. 4. 15.
11.00	Set a post for the cor of sec. 35 & 36. From which, Buck 18 in dia ^r bear. N 38 E. 15 links dist; 7a, Nicks 9 " " " S 45 W. 9 " "
East	On the line On the South Boundary of sec. 36. T. 10 N. R. 1 W.
40.00	Set a 7 th suppost from which, Passafire 9 in dia ^r bear. S 63 E. 20 links dist; 7a, Nicks 12 " " " S 20 W. 6 " "
80.00	Set a post for the cor of sec. 36 & 37. T. 9 N. R. 1 E. 1 W. Surveyed by William Harris, L.S.
	East Boundary N. 6. 30' 72
North	On the East Boundary of sec. 36. T. 10 N. R. 1 W.
40.00	Set a 7 th suppost from which, Sym. 30 in dia ^r bear. South 40 links dist; 7a, Nicks 7 " " " S 48 W. 52 " "
44.00	Set a Brook 20 links wide, course W.
67.00	Enter a swamp.
80.00	Set a post for the cor of sec. 35 & 36. From which, Maple 8 in dia ^r bear. S 44 W. 10 links dist; 7a, No. 10 " " " N 22 W. 54 " " Ground part broken & part swamp. D ^{no} rate soil. May 20. 1819.
North	On the East Boundary of sec. 35 T. 10 N. R. 1 W.

5.00 Packed Swamp.
 39.00 To a creek 100 links mid, corner N.
 40.00 Set a post from which
 by compass 18 in air line N 19 W. 32 links dist;
 80.00 Set a post further on of sec. 24 & 25 from which
 Sugar 12 in air line N 43 W. 32 links dist; to
 Buck 6 " " " N 23 E. 16 " "
 Land mostly level and wet rather swampy

North On the East Boundary of sec. 24 T. 10 N. R. 17.
 40.00 Set a post from which
 Buck 8 in air line S 56 E. 16 links dist; to
 Buck 12 " " " S 63 W. 2 " "
 45.00 To a Brook 10 links mid, corner E.
 52.00 " " " " " " " " S. E.
 60.00 " " " " " " " " S. W.
 80.00 Set a post further on of sec. 13 & 24 from which
 Buck 12 in air line S 51 W. 12 links dist; to
 No. 12 " " " " S 63 E. 6 " "
 Land part level and part rather broken
 Timber Generally Buck, some Sugar, Ash, Poplar,
 Oak & Walnut.

North On the East Boundary of sec. 13 T. 10 N. R. 17.
 20.00 To a Brook 5 links mid, corner S. E.
 40.00 Set a post from which
 Buck 11 in air line S 38 E. 18 links dist; to
 No. 9 " " " " N 79 W. 14 " "
 80.00 Set a post further on of sec. 12 & 13 T. 10 N. R. 17 from which
 " Buck 12 in air line S 35 W. 15 links dist; to
 Mark 30 " " " " N 83 E. 9 " "
 The South 1/4 of this mile rather broken good 2nd rate
 soil; Timber same. A few rich lands, all muddling

Good Farming Land;

North On the East Boundary of sec. 12 T. 10 N. R. 17.
 40.00 Set a post from which
 Buck 12 in air line S 80 E. 14 links dist; to
 No. 24 " " " " S 71 W. 21 " "
 45.00 To a Brook 8 links mid, corner S. W.
 80.00 Set a post further on of sec. 1 & 2 from which
 Buck 18 in air line S 44 E. 59 links dist; to
 Sugar 14 " " " " N 19 E. 17 " "
 Land rather broken good soil. Timber Buck, Sugar,
 Ash & Poplar, Oak, &c. Muddling good farming land.

North On the East Boundary of sec. 1 T. 10 N. R. 17.
 38.00 To a Brook 6 links mid, corner N. W.
 40.00 Set a post from which
 Hackberry 18 in air line N 54 E. 34 links dist; to
 Walnut. 6 " " " " S 5 E. 40 " "
 45.00 To a creek 30 links mid, corner N.
 80.00 Set a post further on of sec. 1 & 2 S. E. 31 N. E. 136 T. 9 N. R. 18 E. 11 W.
 from which Buck 9 in air line S 25 W. 11 links dist; to
 No. 12 " " " " N 3 E. 31 " "
 Land South 1/2 very broken & hilly North 1/2 muddling
 good for farming Timber same.

North Boundary. N. 60° 00' 15.
 Met On a Random line On the South Boundary of sec. 36.
 T. 11 N. R. 17.
 40.00 Set a temporary post.
 40.00 To a Brook 30 links mid, corner N. W.
 45.00 " " Spring corner N. W.
 80.00 Set a temporary post further on of sec. 35 & 36.
 Land rather hilly Timber same.

West On a Random line On the South Boundary of sec. 35
T. 11. N. R. 17.
40.00 Set a timber post for the ca of sec. 34 & 35.
80.00 Set a timber post for the ca of sec. 34 & 35.
Sands broken & stilly. Timber Oak, Buck & Poplar,
Very bushy.

West On a Random line On the South Boundary of sec. 34
T. 11. N. R. 17.
40.00 Set a timber post for the ca of sec. 34 & 35.
79.50 To a lake 30 links mid, corner N.W.
80.00 Set a timber post for the ca of sec. 33 & 34.
Sands level and 2nd rate; Timber Oak, Buck, Ash
Middleling good for farming.

West On a Random line On the South 23rd of sec. 33.
T. 11. N. R. 17. Friday May 21. 1819.
40.00 Set a timber post for the ca of sec. 32 & 33.
80.00 " " " post for the ca of sec. 32 & 33.
Sands very broken & stilly good soil. Timber
Same.

West On a Random line On the South 23rd of the sec.
32. T. 11. N. R. 17.
38.00 To a Brook 5 links mid, corner S.
40.00 Set a timber post for the ca of sec. 32 & 33.
78.00 To a Brook 8 links mid, corner S.
80.00 Set a timber post for the ca of sec. 31 & 32.
Sands rolling rich and good for
farming Timber same

West On a Random line On the South Boundary
of sec. 31. T. 11. N. R. 17.

22.80 To a Brook 12 links mid, corner S.
40.00 Set a timber post for the ca of sec. 31 & 32.
67.50 Set a timber post for the ca of sec. 31 & 32.
107.11. N. R. 17.

East On the true line On the South 23rd of sec. 31. P.W.
T. 11. N. R. 17.
27.50 Set the timber post for the ca of sec. 31 & 32.
11 Oak 12 in dia. bears S 44 W. 22 links dist. S.
Do. 30 " " " N 57 E. 27 " "
37.08 To a Brook 8 links mid, corner S.W.
67.50 Set the timber post for the ca of sec. 31 & 32.
31 Oak 30 in dia. bears S 48 E. 5 links dist. S.
Poplar 12 " " " N 53 W. 25 " "

East On the true line On the South Boundary of sec. 32.
T. 11. N. R. 17.
40.00 Set the timber post for the ca of sec. 31 & 32.
Buck 24 in dia. bears S 13 E. 40 links dist. S.
Do. 30 " " " N 76 W. 32 " "
80.00 Set the timber post for the ca of sec. 31 & 32.
Hick 18 in dia. bears N 70 E. 36 links dist. S.
Oak 27 " " " S 77 W. 33 " "

East On the true line On the South Boundary of sec. 33.
T. 11. N. R. 17.
40.00 Set the timber post for the ca of sec. 31 & 32.
Buck 12 in dia. bears N 71 E. 9 links dist. S.
Hick 18 " " " S 15 E. 18 " "
80.00 Set the timber post for the ca of sec. 31 & 32.
33 & 34 from which
Hick 11 in dia. bears S 71 E. 16 links dist. S.

Nackberry 27 in diam. bears S60W 33 links dist.

East On the true line On the South Boundary of sec. 34
T. 11. N. R. 17.

40.00 Set the temp. 7th sup. post at the true line from which
Dogwood 9 in diam. bears N42W 5 links dist.
S6W Oak 30 " " " S64E " " "

80.00 Set the temp. 1st post on the true line for the cor. of sec.
34 & 35 from which
Beech 18 in diam. bears West 39 links dist; to
Oak 18 " " " N62E 36 " "

East On the true line On the South Boundary of sec. 35
T. 11. N. R. 17.

40.00 Set the temp. 7th sup. post on the true line from which
Nackberry 8 in diam. bears N11W 31 links dist; to
Nick 11 " " " N16W " " "

80.00 Set a post for the cor. of sec. 35 & 36 on the true line
from which Nick 9 in diam. bears N39E 13 links dist.
and a B. Gum. 34 " " " S35W 27 " "

East On the true line On the South Boundary of sec. 36
T. 11. N. R. 17.

40.00 Set the temp. 7th sup. post on the true line from which
Nackberry 18 in diam. bears S57W 15 links dist. to
B. Walnut 24 " " " N64E 30 " "

80.00 To the post cor. of sec. 1. 6. 31 & 36. T. 10 N. R. 16
& 17. 2nd Meridian. Ind.

Surveyed by
William Harris D.S.

North On the East Boundary of sec. 36. T. 10. N. R. 2W

B 134

15.50 To a Brook 20 links mid, corner N. E.

32.00 To a Hickory 16 in diam. in the line.

39.00 " " " Brook 10 links mid, corner E.

40.00 Set a 7th sup. post from which
Ash 13 in diam. bears S60W 22 links dist; to
Beech 15 " " " N47W 23 " "

73.00 To a Brook 12 links mid, corner E.

80.00 Set a post for the cor. of sec. 35 & 36 from which
Ash 9 in diam. bears S30W 18 links dist; to
Dogwood 4 " " " S64E 16 " "

Land hilly and wet; timber Ash, Walnut, Beech.

North On the East Boundary of sec. 35 T. 10 N. R. 2W.

16.00 To cor. Ash 18 in diam. stands in the line.

40.00 Set a 7th sup. post from which
Beech 10 in diam. bears S47W 12 links dist; to
Loc. 40 " " " N31E 44 " "

53.00 To a Brook 150 links mid, corner S. W.

80.00 Set a post for the cor. of sec. 24 & 25 from which
Ash 15 in diam. bears S45E 12 links dist; to
Maple 8 " " " N75W 15 " "

Land wet & muddy. Some 2nd & 3rd grade wet bottom.
Land. Timber Maple.

North On E. boundary of Sec. 24, T. 10 N. R. 2W

40.00 Set 7th Sec. post, from which
a Maple 17 in diam. bears S45W 12 links dist. to
a B. Oak 5 " " " N38E 7 " "

80.00 Set post cor. to Sec. 13 & 24, T. 10 N. R. 2W, from which
a Black Beech 4 in diam. bears S54W 8 links dist. to
a Beech 18 " " " N13E 29 " "

First half wet bottom - the 2nd hilly good soil
timber Beech Oak &c. October 4. 1815

North On E. boundary of Sec. 13, T. 10. N. R. 2 W
 20.50 a Creek 45 lbs. wide Course S. W.
 37.60 Intersected the N. boundary of Harrison's purchase Set post from which
 a Beech 13 in. diam. beam N 39 E 10 lbs. dist. 5
 a Do. 16 " " " 174 N 29 " "
 Surveyed by Alexander Holmes, Dep't. Sur.
 in 1811

North On the East Boundary of Sec. 13, T. 10. N. R. 2 W
 2.40 Set a post from which
 W Oak 14 in diam beam S 39 W. 2 miles dist. to
 Beech 8 " " " N 28 E. 30 " "
 42.40 Set a post for the cor of sec. 12 & 13. from which
 Sycamore. 18 in diam beam. S 10 E. 22 lbs dist. to
 Sugar. 10 " " " N 84 W 30 " "
 Land hilly and middling good for farming
 Timber Beech, Sugar & Oak. Hick &c.

North On the East Boundary of Sec. 12, T. 10. N. R. 2 W.
 40.00 Set a post from which
 Beech 18 in diam beam. N 4 E. 17 lbs dist. to
 Do. 24 " " " E 28 W 33 " "
 80.00 Set a post for the cor of Sec. 1 & 12 from which
 Beech 13 in diam beam. S 48 W. 27 lbs dist. to
 Do. 5 " " " N 47 W. 20 " "
 Land & timber same as last mile.

North On the East Boundary of Sec. 1, T. 10. N. R. 2 W.
 22.00 To a small Brook.

40.00 Set a post from which
 Beech 9 in diam beam. S 72 E 26 lbs dist. to
 Do. 9 " " " N 79 W. 50 " "
 72.00 To a Brook 20 miles wide, Course. N. W.
 77.50 Intersected the Random line.
 80.00 Set a temporary post for the cor of sec. 16 & 136. T.
 10 N. R. 1 & 2 W.
 Land hilly and middling good for farming
 84.87 To the post cor of sec. 16 & 136.

Surveyed by
 William Harris
 Dep't Sur.

Subdivisions

North Between Sec. 35 & 36, T. 10. N. R. 1 W.
 13.00 To a Brook 75 links wide, Course S. E. W.
 20.15 " the same stream Course. S. E. A Beech
 on the Banks of the stream 14 in diam in the line.
 The line takes the stream.
 25.00 Left the stream & enter the windfall
 40.00 Set a post from which
 Beech 3 in diam beam N 73 W 11 lbs dist. to
 Do. 18 " " " S 63 E 7 " "
 Left the windfall
 61.12 To a Poplar 36 in diam stands in the line
 80.00 Set a post for the cor of sec. 25, 26, 35 & 36 from which
 Beech 3 in diam beam N 53 W 5 lbs dist. to
 Do. 14 " " " S 61 E. 25 " "
 Land part level and part broken; Level 2nd rate
 Broken 3rd rate; Timber Beech, W Oak, Poplar,
 Sugar, Hick &c. W. Spruce, Dogwood, White Birch.

East Between Sec. 25 & 36, T. 10. N. R. 1 W.

19.88 To a Buck 17 in dia^r in the line.
 40.00 Set a 7th supst from which,
 Hogwood 3 in dia^r bears S 27 E 11 links dist; to
 Buck. 18 " " N 18 W 16 " "
 55.00 To a Buck 75 links mid. Course N. E. W.
 60.00 To a Buck 14 in dia^r stands in the line.
 75.40 Enter a Pond;
 78.74 Intersect the East Boundary or 2nd Principal
 Meridian 280 links North of the post cor. of sec.
 25 & 36. in a spread; & set a post for the cor. of sec.
 25 & 36. from which, to
 Ash 14 in dia^r bears S 27 W 32 links dist; to
 Water Oak 3 " " N 85 W 14 " "
 Lande part live and part broken 2nd & 3rd rate;
 Limbs Buck, Elm, Maple, Wash, Oak, &c. W. J.
 Spruce Birch Spruce, Maple &c.

North Return Sec 25 & 36 T. 10. N. R. 1 W.
 18.65 To a Buck. 19 in dia^r in the line.
 40.00 Set a 7th supst from which,
 Buck 15 in dia^r bears N 19 W 28 links dist; to,
 Do. 16 " " S 81 E 29 " "
 58.66 To a Hickory 17 in dia^r in the line.
 80.00 Set a post for the cor. of sec. 23, 24, 25 & 26 from which,
 W Oak 23 in dia^r bears S 51 W 8 links dist; to,
 Buck. 16 " " N 49 E 26 " "
 Lande broken & 3rd rate; Limbs, W Oak, B Oak, Buck
 Hickory &c. W. J. Iron wood, Dogwood, Sassafras &c.

East Return Sec 24 & 25 T. 10. N. R. 1 W.
 20.48 To a B Oak. 22 in dia^r in the line.
 40.00 Set a 7th supst from which,
 Buck. 18 in dia^r bears N 55 E 13 links dist; to,

Buck. 13 in dia^r bears S 49 E 16 links dist;
 58.90 To a Buck. 19 in dia^r in the line.
 79.00 Intersect the East Boundary or 2nd Mer. 241 links
 N. of the post cor. of sec. 24 & 25. and set a post for the
 cor. of sec. 24 & 25. from which,
 Hogwood 11 in dia^r bears S 31 E 17 links dist; to,
 Buck. 5 " " N 63 W 11 " "
 Lande part live & part broken 2nd & 3rd rate. Limbs
 W Oak, B Oak, Buck, Hickory, Ash, &c. W. J. Iron wood
 Dogwood, Hickory Birch &c. Dec^r 13th 1819.

North Return Sec 23 & 24 T. 10. N. R. 1 W.
 19.78 To a Hickory 15 in dia^r in the line.
 40.00 Set a 7th supst from which,
 Buck 5 in dia^r bears N 35 E 9 links dist; to,
 Dogwood 6 " " S 21 W 13 " "
 61.10 To a Hickory 14 in dia^r stands in the line.
 80.00 Set a post for the cor. of sec. 13, 14, 23 & 24. from which,
 W Oak 22 in dia^r bears N 76 W 16 links dist; to,
 W Elm. 23 " " N 45 E 17 " "
 Lande broken & 3rd rate; Limbs W Oak, B Oak, Hickory
 Chestnut Oak, Buck &c. W. J. Sassafras, Hickory, Iron wood
 Birch &c.

East Return Sec 13 & 24 T. 10. N. R. 1 W.
 17.78 To a Hickory 23 in dia^r stands in the line.
 40.00 Set a 7th supst from which,
 W Oak 24 in dia^r bears N 68 W 14 links dist; to,
 Buck. 16 " " N 33 E 27 " "
 54.85 To a Buck. 24 in dia^r in the line.
 78.55 Intersect the E. Boundary or 2nd Principal Meridian.
 200 links North of the post cor. of sec. 13 & 24 & set
 a post for the cor. of sec. 13 & 24 from which,

T. N. 10 N. R. N. 1 W. 2nd M. Ind.

Beck 17 in dia: bears S 62 W. 21 miles dist: to
 Poplar 33, " " N 60 W. 16 " "
 Lands broken, 13rd rate; Timber Buck, W. Oak, 73.
 Oak, Hick, Vc. W. G. Sassafras Ash, Spruce, Juniper
 Birch &c.

North Return Dec 13th 1874 T. N. 10 N. R. 1 W.
 18.20 To a Poplar 36 in dia: stands in the line.
 40.00 Set a post from which
 Beck 6 in dia: bears N 61 E. 8 miles dist: to
 Ho. 18, " " S 67 W. 25 " "
 62.00 To a Beck 18 in dia: in the line.
 80.00 Set a post for the cor of sec. 11, 12, 13 & 14 from which
 Beck 18 in dia: bears N 35 W. 15 miles dist: to
 Ho. 4 " " S 27 E. 23 "
 Land a Broken 2nd 13rd rate; Timber W. Oak, 73
 Oak, Buck, Poplar, Hick &c. W. G. Spruce, Ash

East Return Dec 12th 1873 T. N. 10 N. R. 1 W.
 23.70 To a Sugar 14 in dia: in the line.
 40.00 Set a post from which
 Beck 15 in dia: bears N 15 E. 20 miles dist: to
 Ho. 14, " " S 37 W. 25 " "
 57.50 To a Sugar 15 in dia: in the line.
 77.84 Intersut the East 13th or 2nd pr. Mer. 166 lbs. N.
 of the post cor of sec. 12 & 13. & set a post for the cor
 a sec. 12 & 13 from which
 Sugar 17 in dia: bears S 46 W. 18 miles dist: to
 Beck 3 " " N 60 W. 27 " "
 Lands Broken 1st 2nd rate; Timber Buck, Sugar, W. Oak,
 Hick, Ash, Vc. W. G. Spruce, &c.
 December 14 1874

Compd

T. N. 10 N. R. N. 1 W. 2nd M. Ind.

North Return Dec 11th 1872 T. N. 10 N. R. 1 W.
 26.80 To a Beck 17 in dia: in the line.
 40.00 Set a post from which
 Sugar 16 in dia: bears N 67 W. 31 miles dist: to
 Ho. 17, " " S 60 E. 16 " "
 59.64 To a Poplar 18 in dia: in the line.
 67.10 " " Beck 10 in dia: in the line. Corner W. N. W.
 80.00 Set a post for the cor of sec. 1, 2, 11 & 12 from which
 Beck 18 in dia: bears S 45 W. 5 miles dist: to
 Maple 19 " " N 71 E. 7 " "
 Lands broken 1st 2nd rate; Timber Buck, Sugar, W. Oak, 73
 Ash, Poplar &c. W. G. Spruce, Sassafras, Hick, Maple &c.

East Return Dec 11th 1872 T. N. 10 N. R. 1 W.
 18.10 To a W. Oak 18 in dia: in the line.
 40.00 Set a post from which
 Beck 3 in dia: bears N 38 E. 15 miles dist: to
 W. Oak 42 " " S 27 W. 9 " "
 58.11 To a Hick 16 in dia: stands in the line.
 77.96 Intersut the 2nd pr. Mer. or East 13th 143 lbs. North
 of the post cor of sec. 1 & 12. and set a post for the cor
 " sec. 1 & 12 from which
 Beck 14 in dia: bears N 25 E. 7 miles dist: to
 Logwood 21 " " S 81 W. 10 " "
 Lands broken 1st 2nd rate; Timber 23 W. Oak, Buck, Hick
 Ash &c. W. G. Logwood, Juniper, Spruce &c.

North Return Dec 14th 1872 T. N. 10 N. R. 1 W.
 22.25 To a Hick 17 in dia: in the line.
 40.00 Set a post from which
 Beck 10 in dia: bears S 78 W. 11 miles dist: to
 Beck 6 " " N 37 E. 12 " "
 61.56 To a W. Oak 19 in dia: in the line.

I. N. 10. N. R. N. 17. 2nd M. S. Ind.

	Beck 17 in dia' bears S 62 W. 21 links dist; to Poplar 33, " " N 60 W. 16 " " Lands broken, 13. rate; Timber Buck, W Oak, 73 Oak, Hick, V. W. G. Castor, Ash, Spruce, Immort. Birch &c.
North	Return Dec 13 th 1714 I. N. 10. N. R. 17.
18.20	To a Poplar 36 in dia' stands in the river.
40.00	Set a post from which Beck 6 in dia' bears N 61 E. 8 links dist; to No. 18, " " S 67 W. 25 " "
62.00	To a Beck 18 in dia' in the river.
80.00	Set a post for the cor of sec. 11. 12. 13 th 1714 from which Beck 18 in dia' bears N 35 W. 15 links dist; to No. 4 " " S 27 E. 23 " " Lands broken 2 nd 13. rate; Timber W Oak, 73 Oak, Buck, Poplar, Hick &c. W. G. Spruce, Ash
East	Return Dec 12 th 1713 I. N. 10. N. R. 17.
23.70	To a Sugar 14 in dia' in the river.
40.00	Set a post from which Beck 15 in dia' bears N 15 E. 20 links dist; to No. 14, " " S 33 W. 25 " "
57.50	To a Sugar 15 in dia' in the river.
77.81	Intersect the East 13 th or 2 nd p. M. S. 166 lbs. N. of the post cor of sec. 12 & 13. & set a post for the cor " sec. 12 & 13. from which Sugar 17 in dia' bears S 46 W. 18 links dist; to Beck 3 " " N 60 W. 27 " " Lands broken 2 nd rate; Timber Buck, Sugar, W Oak, Hick, Ash, V. W. G. Spruce, &c. December 14. 1819

Compd

I. N. 10. N. R. N. 17. 2nd M. S. Ind.

North	Return Dec 11 th 1712 I. N. 10. N. R. 17.
26.80	To a Beck 17 in dia' in the river.
40.00	Set a post from which Sugar 16 in dia' bears N 67 W. 31 links dist; to No. 17, " " S 60 E. 16 " "
59.64	To a Poplar 18 in dia' in the river.
67.10	" " Beck 10 links dist; crossed W. W. W.
80.00	Set a post for the cor of sec. 1. 2. 11. & 12 from which Beck 18 in dia' bears S 45 W. 5 links dist; to Maple 19 " " N 71 E. 7 " " Lands broken 2 nd rate; Timber Buck, Sugar, W Oak & Ash, Poplar &c. W. G. Spruce, Castor, Hick, Maple &c.
East	Return Dec 11 th 1712 I. N. 10. N. R. 17.
18.10	To a W Oak 18 in dia' in the river.
40.00	Set a post from which Beck 3 in dia' bears N 38 E. 15 links dist; to W Oak 42, " " S 27 W. 9 " "
58.11	To a Hick 16 in dia' stands in the river.
77.96	Intersect the 2 nd p. M. S. or East 13 th 14 th 3 links North of the post cor of sec. 1 & 12. and set a post for the cor " sec. 1 & 12 from which Beck 14 in dia' bears N 25 E. 7 links dist; to Logwood 14 " " S 21 W. 10 " " Lands broken 13 th rate; Timber 23 W Oak, Beck, Hick Ash &c. W. G. Spruce, Immort., Spruce, &c.
North	Return Dec 1 st 1712 I. N. 10. N. R. 17.
22.15	To a Hick 17 in dia' in the river.
40.00	Set a post from which Beck 10 in dia' bears S 78 W. 11 links dist; to Beck 6 " " N 37 E. 12 " "
61.56	To a W Oak 19 in dia' in the river.

T. N. 10 N. R. N. 17 W 2nd Mer. Ind.

79.34 Intersect the N. Boundary 247 links East of the post
 cor of sec 35 & 36 T. 11 N. R. 17 W and set a post forth
 " " " " 11.2 from which,
 Buck 8 in dist bears S 30 W. 17 links east; to
 Hogwood 4 " " " S 63 E 20 " " "
 Sand below 13rd rate Timber Oak, Hickory
 Buck, &c. W. Cassafra Leg & Sumner Hickory
 &c. Brins. Loc. 15, 18, 19.

North Return Sec 34 & 35 T. 10 N. R. 17 W
 24.00 To a Brook 15 links mid, corner S. E.
 40.00 Set a 7th support from which,
 Buck 6 in dist bears S 30 W. 12 links east; to
 No. 8 " " " N 24 E. 13 " " "
 43.90 Intersect the N. Boundary line of Harris's Purchase
 Mark 24 in dist bears S 38 W. 19 links east; to
 Hickory 14 " " " N 20 W. 13 " " "
 Sand well and not very good.
 43.90 Originally surveyed by the N. E. Boundary of Harris
 son's Purchase Line Extended
 62.28 To a Sp. Oak, 32 in dist in the line.
 66.94 To a Brook, 12 links mid, corner S. E.
 75.00 " " 20 " 16 " " " S. E.
 80.00 Set apart for the cor of sec 26, 27, 34 & 35 from which,
 Buck 16 in dist bears N 85 W. 17 links east; to
 No. 14 " " " N 86 E. 14 " " "
 Sand well & 2nd rate; Timber ash, Walnut, Sugar,
 & Buck & W. Spruce.

West On a Random line between Sec 26 & 35 T. 10 N. R. 17 W
 26.34 To a Brook 10 links mid, corner S. W.
 40.00 Set a temporary support
 70.58 Intersect the N. B. line 12 links North of the post

T. N. 10 N. R. N. 17 W 2nd Mer. Ind.

cor of sec 26, 27, 34 & 35. Sand part well and part
 broken. 2nd & 3rd rate Timber Buck, Oak, Poplar,
 Ash, Hickory Sugar, &c. W. Spruce, Hogwood Ash, Sum-
 mer, Brins &c.

East On the line line between Sec 26 & 35 T. 10 N. R. 17 W.
 17.64 To a Buck 18 in dist stands in the line.
 25.29 Set the temporary support at the cor. dist in the line from
 which, Buck 15 in dist bears N 72 E. 14 links east;
 and no. 18 " " " N 4 E. 22 " " "
 46.14 To a Poplar 36 in dist stands in the line
 70.58 To the post cor of sec 25, 26, 35 & 36.

North Return Sec 26 & 27 T. 10 N. R. 17 W.
 1.80 To a Brook 15 links mid, corner N. W.
 5.15 " " 15 " " " S. E.
 17.62 " " 15 " " " S. W.
 19.32 To a Buck 16 in dist in the line.
 28.50 To the same stream 15 links mid, corner S. E.
 40.00 Set a 7th support from which,
 Buck 14 in dist bears N 14 W. 19 links east; to
 No. 33 " " " S 68 E. 18 " " "
 56.62 To a Oak, 20 in dist stands in the line
 80.00 Set apart for the cor of sec 22, 23, 26 & 27 from which,
 Buck 17 in dist bears N 21 W. 29 links east; to
 Brins 28 " " " S 6 E. 5 " " "
 Sand 1st & 2nd mile level 2nd rate; 2nd & 3rd mile broken
 3rd rate land; Timber Buck, Oak, Hickory, &c.
 W. Spruce, Ash, Sumner, Cassafra Brins &c.

West On a Random line between Sec 23 & 26 T. 10 N. R. 17 W
 40.00 Set a temporary support
 46.20 To a Brook 10 links mid, corner S. W.

T. N. 10. N. R. N. 1 W. 2nd Mer. Ind.

70.65. Intersect the N13 line 18 miles South of the first cor.
of sec. 22, 23, 26 & 27.
Sowdo broken 2nd & 3rd rate; Timber W Oak, Y Oak &
Buck, Hickory, W. Spruce, Black Oak, Sassafras
Juniper, Blackberry & Brins &c.

East On the line between Sec. 23 & 26. T. 10. N. R. 1 W.
16.43. To a maple. 14 in diam in the line.

35.30 Set the temp. 1/2 suppost at the ar. dist on the line from
from which, W Oak 23 in diam bears N 6 E. 11 links east;
under Do. 16 " " S 80 E. 26 " "

50.24 To a W Oak 16 in diam in the line.

70.65 To the post cor of sec. 23, 24, 25 & 26.

North Return Sec. 23 & 26. T. 10. N. R. 1 W.

19.78 To a W Oak 28 links diam in the line.

40.00 Set a 1/2 suppost from which,
Buck 23 in diam bears N 74 E. 19 links east, to
Sugar. 8 " " S 46 W. 18 " "

54.58 To a Poplar 18 in diam. Stems in the line.

80.00 Set a post for the cor of sec. 14, 15, 22 & 23 from which,
W Oak 15 in diam bears N 77 W. 17 links east, to
Buck 8 " " N 68 E. 13 " "
Sowdo broken 2nd & 3rd rate; Timber Buck, W. B. & Sp
Oak, Hickory, W. Spruce, Juniper & Brins &c.

West On a Random line between Sec. 14 & 23. T. 10. N. R. 1 W.

11.35 To a Brook 8 links wide, corner S. W.

40.00 Set a temp. 1/2 suppost.

70.70 Intersect the N13 line 43 links South of the first cor of
Sec. 14, 15, 22 & 23. Sowdo broken 2nd & 3rd rate; Timber
W Oak, Y Oak, Hickory Buck, &c, W Spruce, Sassafras,
Logwood Oak & Brins &c.

T. N. 10. N. R. N. 1 W. 2nd Mer. Ind.

East On the line between Sec. 14 & 23. T. 10. N. R. 1 W.

22.25 To a Hickory 18 in diam in the line.

35.35 Set the temp. 1/2 suppost at the ar. dist on the line from
which, Buck 14 in diam bears N 36 E. 19 links east;
Do. 15 " " S 39 W. 11 " "

56.47 To a Hickory 18 in diam in the line.

70.70 To the post cor of sec. 13, 14, 23 & 24

North Return Sec. 14 & 26. T. 10. N. R. 1 W.

20.00 To a W Oak. 36 in diam. Stems in the line.

40.00 Set a 1/2 suppost from which,
Buck 14 in diam bears N 83 W. 58 links east, to
Do. 8 " " S 65 E. 27 " "

59.50 To a Buck. 18 in diam in the line.

80.00 Set a post for the cor of sec. 10, 11, 14 & 15 from which,
Buck 5 in diam bears N 36 W. 5 links east, to
Do. 4 " " S 41 W. 19 " "

Sowdo broken 2nd & 3rd rate; Timber Buck, Sugar, &
Poplar, W Oak, Ash, Hickory, W. Spruce, Sassafras.
Dec. 10. 1819.

West On a Random line between Sec. 11 & 14. T. 10. N. R. 1 W.

40.00 Set a temp. 1/2 suppost.

70.84 Intersect the N13 line 58 links South of the first cor.
of sec. 10, 11, 14 & 15. Sowdo broken 2nd & 3rd rate.
Timber Sugar, Ash, W Oak, Buck, Hickory,
W. Spruce, Ash, Sassafras, Juniper, &c.

East On the line between Sec. 11 & 14. T. 10. N. R. 1 W.

17.60 To a Poplar 19 in diam in the line.

35.40 Set the temp. 1/2 suppost at the ar. dist on the line from
which, Buck 26 in diam bears N 51 W. 19 links east
under Do. 28 " " S 63 E. 28 " "

S. N. 10 N. R. 17 W. 2nd Mer. Ind.

- 50.40 To an Oak 17 in diam in the line.
70.84 To the post on of sec. 11, 12, 13 & 14.
- North Between Sec. 10 & 11. T. 10 N. R. 17 W.
20.87 To a Sp. Oak. 32 in diam. Stems in the line.
40.00 Set a 7/8 post from which,
Beck 12 in diam. from. N 42 E. 10 mts. dist. to
Nicks 14 " " " S 24 E. 17 " "
71.64 To a Dogwood 5 in diam in the line.
80.00 Set a post for the cor. of sec. 2, 3, 10 & 11 from which,
Beck 16 in diam. from. N 68 W. 16 mts. dist. to,
Ho. 6 " " " N 83 E. 26 " "
Lands broken & 3rd rate; Timber Bech, W Oak, Black,
Nicks & c. 117 Dogwood, Ironwood, Spruce, Birch & c.
- West On a Random line between Sec. 2 & 11. T. 10 N. R. 17 W.
19.50 To a Birch 10 mts. mid. Course NW
40.00 Set a temp. 7/8 post.
70.62 Intersect the West Boundary of N 13 line 78 mts. S.
of the post on of sec. 2, 3, 10 & 11.
Lands broken & 3rd rate; Timber Bech, W Oak, Black,
Nicks & c. 117 Sassafras Oak, Nicks Ironwood,
Birch & c.
- East On the line between Sec. 2 & 11. T. 10 N. R. 17 W.
11.70 To a Nicks 14 in diam in the line.
35.31 Set the temp. 7/8 post. at the ar. dist on the line from
which, W Oak 24 in diam. from. N 78 E. 17 mts. dist.
and a W Oak 34 " " " S 77 E. " "
46.16 To a Birch. 16 in diam. Stems in the line.
70.62 To the post on of sec. 1, 2, 11 & 12.
- North Between Sec. 2 & 3. T. 10 N. R. 17 W.

S. N. 10 N. R. 17 W. 2nd Mer. Ind.

- 19.48 To a W Oak 16 in diam in the line.
40.00 Set a 7/8 post from which,
Beck 18 in diam. from. S 33 W. 8 mts. dist. to,
Ho. 14 " " " N 76 E. 24 " "
43.58 To a Birch 10 mts. mid. Course NW. W.
61.28 To a Sugar. 14 in diam in the line.
78.03 Intersect the N Boundary of 1321 mts. East of the post. on
of sec. 34 & 35 T. 11 N. R. 17 W. and set a post for the cor. of
" 213 from which a
W Oak 4 in diam. from. S 51 E. 14 mts. dist. to,
Beck 7 " " " N 85 W. 15 " "
Lands part land & 2nd rate; Spruce broken & 3rd rate;
Timber W Oak, Bech, Nicks, Oak, Sugar & c.
117. Nicks, Dogwood, Ironwood, Spruce, Birch, W Oak 18 & c.
- October 1st 1815.
- North Between Sec. 33 & 34 T. 10 N. R. 17 W.
40.00 Set a 7/8 post from which,
W Oak 24 in diam. from. S 56 W. 21 mts. dist. to,
Nicks 5 " " " " 58 E. 17 " "
80.00 Set a post for the cor. of sec. 27 & 28 S 33 W. 34 from which,
Beck 6 in diam. from. N 64 W. 2 mts. dist. to,
Ho. 24 " " " " S 9 E. 12 " "
Lands hilly and middling soil. Timber Oak, Bech,
Poplar, Ash, Timber.
- East Between Sec. 27 & 34. T. 10 N. R. 17 W.
30.83 Intersect the N Boundary of Harris in Purchase and
set a post for the cor. of sec. 27 & 34 from which,
Oak 15 in diam. from. S 30 E. 2 mts. dist. to,
Sugar 15 " " " " N 53 W. 35 " "
Lands the same.
- West Between Sec. 27 & 34. T. 10 N. R. 17 W. on Random

T. N. 10 N. R. N. 17 W. 2nd Mer. Ind.

4.32 To a Brook 15 miles mid. Corner S.E.
 20.84 " " Loc. 12 " " " S.E.
 40.00 Set a trap for a post.
 49.81 A. Point 30 miles North of the post on the Old B.C.
 Land point west. 2nd rate; and depart broken 3rd rate
 Timber Birch, Hick, Ash, Oak, &c. My Speer, &
 Immort. Dogwood, Ash &c.

East On the line between Sec. 27 & 34 T. 10 N. R. 17 W.
 30.83 Originally serv. to Old B.C. line extended
 40.32 Set the trap for a post at the ar. dist. on the new line
 from which, and wood 5 in dist. from A 32 E 9 the dist.
 and also Dogwood 5 " " " A 32 W 13 " "
 62.03 To a Locust 18 in dist. in the line.
 80.64 To the cor. of sec. 26, 27, 34 & 35.

North Return Sec. 27 & 28 T. 10 N. R. 17 W.
 22.54 Intersect the B.C. line of Harris on Purchase
 and set a post for the cor. of sec. 27 & 28. From which,
 Birch 9 in dist. from A 64 W 4 miles east, &
 Sugar 10 " " " A 54 W 25 " "
 Sand & timber middling soil.

North Return Sec. 27 & 28 T. 10 N. R. 17 W.
 22.54 Originally serv. to the N.E. B.C. line of Harris on
 Purchase. Line extended
 40.00 Set a trap for a post from which,
 Birch 11 in dist. from A 77 E 5 miles east, &
 Loc. 14 " " " A 51 W 16 " "
 63.10 To a H. Bark Hick 18 in dist. in the line.
 80.00 Set a post for the cor. of sec. 21, 22, 27 & 28 from which,
 W Oak 10 in dist. from A 58 W 8 miles east, &
 Loc. 14 " " " A 18 E 19 " "
 Land broken 3rd rate; Timber W Oak, Birch, Hick,
 Dogwood, Ash &c.

T. N. 10 N. R. N. 17 W. 2nd Mer. Ind.

My Saddlebag Run &c.

West On a random line between Sec. 22 & 27 T. 10 N. R. 17 W.
 40.00 Set a trap for a post.
 80.50 Intersect the West Boundary 20 miles North of the post on
 Sec. 21, 22, 27 & 28. Land 3rd rate; Timber W Oak, Birch,
 Hick, Ash &c. My Immort. Birch &c.

East On the line between Sec. 22 & 27 T. 10 N. R. 17 W.
 12.00 To a Hick 16 in dist. in the line.
 40.26 Set the trap for a post at the ar. dist. on the new line from
 which, Hick 18 in dist. from A 85 W 9 miles east, &
 Maple 11 " " " A 8 E 22 " "
 58.54 To a Hackberry 19 in dist. in the line.
 80.50 To the post cor. of sec. 22, 23, 26 & 27.

North Return Sec. 21 & 22 T. 10 N. R. 17 W.
 22.09 To a Sugar. 19 in dist. from the line.
 40.00 Set a trap for a post from which,
 Birch 13 in dist. from A 34 E 21 miles east, &
 Loc. 6 " " " A 44 W 25 " "
 67.50 To a W Oak 18 in dist. in the line.
 80.00 Set a post for the cor. of sec. 15, 16, 21 & 22 from which,
 Dogwood 8 in dist. from A 88 W 8 miles east, &
 Loc. 5 " " " A 16 E 17 " "
 Land broken 2nd & 3rd rate; Timber W Oak, Birch, & Birch,
 Hick, Sugar, &c. My Speer, Maple, & Hick. Birch &c.

West On a random line between Sec. 15 & 22 T. 10 N. R. 17 W.
 40.00 Set a trap for a post.
 80.40 Intersect the A 15 line 23 miles North of the post cor. of
 Sec. 15, 16, 21 & 22. Land broken 3rd rate; Timber W Oak,
 B. Oak, Birch, Hick, &c. Dogwood and My. &c.

T. N. 10. N. R. No. 172nd Mrs. Ind.

East On the line between Sec 15 & 22 T. 10. N. R. 1 W.
 21.76 To a Walnut 18 in diam. in the line.
 40.21 Set the trip? In support at the ar. dist. in the line
 from which, Bech. 16 in diam. trees. S32 W. 13 mts dist.
 and a Sugar 16 " " " " S10 E. 15 " "
 69.17 To a W. Oak 22 in diam. stands in the line.
 80.42 To the cor of sec. 14, 15, 22 & 23.

North Return Sec 15 & 16 T. 10. N. R. 1 W.
 28.46 To a Bech. 18 in diam. in the line.
 40.00 Set a 7th support from which,
 Sugar 12 in diam. trees. S56 E. 14 mts dist. to
 Co. 4 " " " " S70 W. 25 " "
 66.31 To a Bech. 19 in diam. stands in the line.
 80.00 Set a post for the cor of sec. 9, 10, 15 & 16 from which,
 Bech. 26 in diam. trees. S32 E. 13 mts dist. to
 Co. 7 " " " " S84 W. 27 " "
 Sanderson 13.0 rate; Timber Bech, W. B. Oak, Hick,
 &c. W. J. Sassafras Iron & Log wood Brins. V.

West On a Random line between Sec 10 & 15 T. 10. N. R. 1 W.
 40.00 Set a trip? In support.
 80.48 Intersub the N. V. line 42 mts North of the post cor.
 of sec. 9, 10, 15 & 16. Sanderson 13.0 rate; Timber Hick, Bech, Sugar, W. Oak,
 B. Oak, Poplar, Ash, &c.

East On the line between Sec. 10 & 15 T. 10. N. R. 1 W.
 17.00 To a Bech. 18 in diam. in the line.
 40.24 Set the trip? In support at the ar. dist. in the line
 from which, Logwood 4 in diam. trees. S46 W. 28 mts dist.
 and a Bech. 5 " " " " S45 E. 25 " "
 56.43 To a Sugar 16 in diam. in the line.

T. N. 10. N. R. No. 172nd Mrs. Ind.

80.48 To the post cor of sec. 9, 10, 14 & 15.

North Return Sec 9 & 10 T. 10. N. R. 1 W.
 16.25 To a W. Oak 14 in diam. stands in the line.
 40.00 Set a 7th support from which,
 Hick 16 in diam. trees. S26 W. 18 mts dist. to
 Bech. 19 " " " " S36 E. 28 " "
 64.28 To a Bech. 18 in diam. in the line.
 80.00 Set a post for the cor of sec. 3, 4, 9 & 10 from which,
 Log wood 4 in diam. trees. S23 W. 5 mts dist. to
 Co. 6 " " " " S41 E. 31 " "
 Sanderson 13.0 rate; Timber W. B. Oak, Bech,
 B. Oak, Hick, Sugar, &c. W. J. Sassafras Log wood,
 Hick, Brins &c.

West On a Random line between Sec 3 & 10 T. 10. N. R. 1 W.
 40.00 Set a trip? In support.
 80.64 Intersub the N. V. line 14 mts North of the post cor of sec.
 3, 4, 9 & 10. Sanderson 13.0 rate; Timber W. B. Oak,
 Bech, Hick, Sugar, &c. W. J. Sassafras Log & Iron wood,
 Brins &c.

East On the line between Sec 3 & 10 T. 10. N. R. 1 W.
 18.39 To a Hick 14 in diam. in the line.
 40.32 Set the trip? In support at the ar. dist. in the line from
 which, Bech. 13 in diam. trees. S53 W. 28 mts dist. to
 Hick 6 " " " " S5 E. 18 " "
 56.63 To a Sugar 17 in diam. in the line.
 80.64 To the post cor of sec. 2, 3, 10 & 11.

North Return Sec 3 & 11 T. 10. N. R. 1 W.
 22.58 To a Hick 16 in diam. in the line.
 40.00 Set a 7th support from which,

T. N. 10 N. R. N. 17 W. 2nd Mer. Ind.

Logwood 4 in dia' trees S 87 W 15 mts. dist; to,
 W Oak. 1/4 " " S 83 E 22 " "
 59.00 To a W Oak 19 in dia' in the line.
 64.08 To a Birch 15 mts. dist; corner N. W.
 79.60 Intersub the N. W. corner 1304 mts. East of the post on
 of Sec 23 33 34. T. 10 N. R. 17 W. and set apart further on of
 " 3 1/4 from which,
 W Oak 18 in dia' trees N 26 W 9 mts. dist; to,
 Birch 4 " " " S 53 E 14 " "
 Lands 1st 60 ch. Broken 1/3 rate; balance land 2.
 rate land; Timber Birch, W Oak, Elm, Hickory, In-
 gan Vc. Logwood, Maple, Immortelle, &c.

North Return Sec 32 33, T. 10 N. R. 17 W.
 40.00 Set a ~~trip~~ 1/4 support from which,
 Birch 3 in dia' trees N 69 W 3 mts. dist; to,
 W. 14 " " S 5 E 21 " "
 49.00 To a Birch 25 mts. dist; corner S. E.
 80.00 Set apart further on of sec. 28 29 32 33 from which,
 W 18 in dia' trees S 15 E 7 mts. dist; to,
 Ash. 20 " " " N 9 W 33 " "
 Lands hilly Timber Oak, Birch, Poplar, Ash, &c. mid-
 dling land for farming.

East On the line between Sec 28 33 T. 10 N. R. 17 W.
 40.00 Set a trip 1/4 support.
 79.86 Intersub the N. W. corner 65 mts. South of the post on of
 Sec 27 28 33 34 Lands the same.

West On the line between Sec 28 33 T. 10 N. R. 17 W.
 39.93 Set the trip 1/4 support at the dist. in the line from
 which, W Oak 14 in dia' trees N 69 E 23 mts. dist; to,
 Birch 9 " " " N 76 W 25 " "

T. N. 10 N. R. N. 17 W. 2nd Mer. Ind.

79.86 To the post on of sec. 28 29 32 33

North Return Sec 28 29 T. 10 N. R. 17 W.
 40.00 Set a 1/4 support from which,
 Sugar. 9 in dia' trees N 72 E. - 1/4 dist; to,
 W. 2 1/4 " " " N 88 W 11 " "
 80.00 Set apart further on of sec. 20 21 28 29 from which,
 Birch 4 in dia' trees East 10 mts. dist; to,
 W. 18 " " " N 35 W 21 " "
 Lands hilly Timber Birch, Ash, Oak, Hickory &c.
 Lands middling good for farming.

East Return Sec 21 28 T. 10 N. R. 17 W.
 2.01 Intersub the corner of Harrison's Purchase and set
 apart further on of sec. 21 28 from which,
 Hickory 1 in dia' trees S 31 E 26 mts. dist; to,
 Logwood. 4 " " " N 61 W 21 " "
 West On a Random line between Sec 21 28 T. 10 N. R. 17 W.
 40.00 Set a trip 1/4 support.
 77.13 A point 10 mts. South of the post on the old boundary.
 Lands broken 2nd 1/3 rate. Timber W Oak, Ash, Poplar,
 Birch, Sugar. Vc. W. Spruce, Vandyke &c.

East On the line between Sec 21 28 T. 10 N. R. 17 W.
 2.01 Originally surveyed to the old boundary; Line extended
 21 1/4 To a Birch 15 in dia' in the line.
 39.56 Set the trip 1/4 support at the ar dist on the line from
 which, Birch 16 in dia' trees N 13 E 7 mts. dist; to,
 Grey ash. 33 " " " S 15 E 20 " "

64.85 To a Birch 24 in dia' in the line.
 79.13 To the post on of sec. 21 22 27 28.

North Return Sec 20 21 T. 10 N. R. 17 W.

T. N. 10. N. R. N. 17. 2nd Mer. Ind.

1.40 Introduced the A. Bonnat of Harris in Purchase & set
apost for the cor of Grad. Sec. 20 & 21. From which,
Sugar 14 in dia: beam. S 89 E 10 links dist; &c,
Lg. 3 " " N 71 E 21 " "
Lands the same.

North Return Sec 20 & 21. T. 10. N. R. 17.
1.40 Originally surveyed to the Old Boundary of Harris in
Purchase. Line Extended.

20.35 To a Nick 19 in dia: stands in the river.

40.00 Set a post from which,
Sugar 18 in dia: beam. N 30 W 10 links dist; &c,
Beck 20 " " " N 87 E 31 " "

41.55 To a Brook. 10 links wide, comes N. W.

64.00 To an Elm. 24 in dia: in the river.

80.00 Set a post for the cor of sec. 16. 17. 20 & 21 from which,
Beck 4 in dia: beam. N 88 W. 27 links dist; &c,
Lg. 17 " " " N 73 E 12 " "
Lands broken 13: rate; Timber N Oak, B Oak, Hick,
Beck, &c. W. Dog Ironwood, & Nicky Pine &c.

West On a random line between Sec 16 & 21 T. 10. N. R. 17.

40.00 Set a temporary post.

62.00 To a Brook 10 links wide, comes N. W.

79.28 Introduced the N. 13 line 34 links North of the post cor of
Sec 16. 17 & 20 & 21. Lands broken 13: rate; Timber
Beck, N Oak, B Oak & Hick, &c. W. Dogwood, &c.

East On the true line between Sec 16 & 21 T. 10. N. R. 17.

23.74 To a N Oak 28 in dia: in the river.

39.64 Set the temporary post at the cor dist in the true line
from which, Beck 18 in dia: beam N 55 E 28 links dist;

T. N. 10. N. R. N. 17. 2nd Mer. Ind.

Sugar 16 in dia: beam. S 79 W. 14 links dist;
60.78 To a N Oak. 20 in dia: stands in the river
79.28 To the post cor of sec. 15. 16. 21 & 22.

North Return Sec 16 & 21. T. 10. N. R. 17.

22.38 To a N Oak. 28 in dia: stands in the river.

40.00 Set a temporary post from which,
Beck 7 in dia: beam. N 41 W 20 links dist; &c,
Lg. 16 " " " N 71 E 22 " "

57.00 To a Sugar 13 in dia: stands in the river.

71.00 To a Brook. 12 links wide, comes N. W.

80.10 Set a post for the cor of sec. 8. 9. 16 & 17 from which,
Maple 16 in dia: beam. N 39 W. 18 links dist; &c,
N Oak 20 " " " N 38 E 26 " "
Lands broken 13: rate; Timber N Oak, B Oak, Beck,
Sugar, Nicky, W. Dog Ironwood, Nicky &c.

West On a random line between Sec 9 & 16. T. 10. N. R. 17.

16.50 To a Brook 10 links wide, comes N. W.

40.00 Set a temporary post.

79.16 Introduced the N. 13 line 28 links North of the post cor of sec.
8. 9. 16, & 17. Lands broken 13: rate; Timber N Oak,
B Oak, Beck, & Hick, W. Dogwood, Sassafras, Nicky &c.

East On the true line between Sec 9 & 16. T. 10. N. R. 17.

24.16 A Nick 14 in dia: stands in the river.

39.58 Set a temporary post at the cor. dist in the true line from which,
N Oak 3 in dia: beam. S 69 W. 13 links dist; &c,
Dogwood 4 " " " N 22 E 16 " "

39.10 To a Poplar, 18 in dia: stands in the river.

79.16 To the post cor. of sec. 9. 10. 13 & 16. December 8. 1819

North Return Sec 9 & 13 T. 10. N. R. 17.

T. N. 10 N. R. N. 1 W. 2nd Mer. Sur.

- 20.46 To app. Oak 19 in dia. in the river.
 40.00 Set a trap post from which,
 Buck 3 in dia. bears. N 33 E. 14 miles east, to
 Northman. 2, " " 564 N. 4 " " ,
 41.44 To a Brook 6 miles in the, Course N.
 58.50 To app. Oak 19 in dia. in the river.
 80.00 Set a post for the cor. of sec. 4. 5. 8 & 9 from which,
 Buck 22 in dia. bears N 72 W. 7 miles east, to,
 Sugar. 18 " " " N 44 E. 21 " " ,
 Land broken & 3rd rate; Timber N & W. Oak, Buck,
 Sugar, &c. N of Spruce, Dogwood, Hickory, & Brins
 Dec. 6. 1819.

- West On the same line between Sec. 4 & 9 T. 10 N. R. 1 W.
 40.00 Set a trap post
 79.46 Intersect the N 75 W line 19 miles South of the post cor.
 of Sec. 5. 4. 9 & 10. Land broken & 3rd rate; Timber
 N Oak, B Oak, Buck, Hickory Sugar &c. Dogwood,
 Hickory &c. Oak & Brins.

- East On the same line between Sec. 4 & 9 T. 10 N. R. 1 W.
 19.62 To a Sugar 16 in dia. in the river.
 39.73 Set the trap post at the cor. east on the same line
 from which, Hickory 12 in dia. bears S 76 E. 24 miles east,
 under a Buck. 14 " " " N 6 E. 50 " " ,
 52.56 To a Buck 17 in dia. in the river.
 79.46 To the post cor. of Sec. 3. 4. 9 & 10.

- North Between Sec. 4 & 5 T. 10 N. R. 1 W.
 20.70 To a Buck 16 in dia. N end on the river.
 40.00 Set a trap post from which,
 Buck 21 in dia. bears N 24 W. 5 miles east, to,
 Oak 3 " " " S 11 E. 40 " " ,

T. N. 10 N. R. N. 1 W. 2nd Mer. Sur.

- 64.57 To app. Oak 22 in dia. in the river.
 81.22 Intersect the N. 70 W. line 13.22 miles East of the post cor.
 of sec. 32 & 33. T. 11 N. R. 1 W. end set a post for the cor.
 " " 4. 5 from which,
 Dogwood 4 in dia. bears S 35 E. 7 miles east, to,
 Hickory 10 " " " S 72 W. 17 " " ,
 Land broken 2nd & 3rd rate; Timber N & W. Oak,
 Buck, Poplar, Sugar, Ash, &c. N of Dogwood, Spruce,
 Hickory, Oak &c. Dec. 7. 1819.

- East On a Random line between Sec. 31 & 32 T. 10 N. R. 1 W.
 30.00 To a Buck 100 miles in the, Course N.
 35.00 " " " 100 " " " E.
 40.00 Set a trap post for the post.
 70.00 To a Buck 100 miles in the, Course N.
 79.83 Intersect the South W. line of T. 10 N. R. 1 W. 65 miles East of the post
 cor. of Sec. 31 & 32. Land on this side a Buck bottom,
 & middling good for farming;

- North On the same line between Sec. 31 & 32 T. 10 N. R. 1 W.
 39.91 Set the trap post at the cor. east on the same line from
 which, Buck 4 in dia. bears S 33 E. 16 miles east, to,
 " " 30 " " " N 27 W. 13 " " ,
 79.83 To the post cor. of Sec. 29. 30 & 31 & 32

- East On a Random line between Sec. 29 & 30 T. 10 N. R. 1 W.
 40.00 Set a trap post for the post.
 79.74 Intersect the N 75 W line 4 miles North of the post cor. of
 Sec. 28 & 29. 32 & 33. Land West for some. East for hills,
 & middling good for farming; Timber Buck, Sugar &
 Poplar,

- West On the same line between Sec. 29 & 30 T. 10 N. R. 1 W.

Lugan &c, N. 9. Spies, &c.

West 40.00 79.55.	Return Jul 17/20 T. 10. N. R. 17. Set a trap for sup. post. Introduced the West Bormat 18 miles South of the post. on of sep. 17. 18. 19. 20. Land broken 2 nd B. rate. Timber N. 10. Oak, Hickory & Buck, &c. N. 9. Dogwood Summers &c.
East 25.00 39.77.	On the line between Jul 17/20 T. 10. N. R. 17. To a Buck, 18 in air in the line. Set the trap for sup. post at the air. dist in the line from whit, Hornum 5 in air from. N. 43 E. 21 the dist. under a Buck 22 " " " N. 57 E. 28 " "
57.24 79.55.	To a Hickory 18 in air in the line. To the post on of sep. 16. 17. 20. 21.
West 27.31.	On a Random line between Jul 18/19 T. 10. N. R. 17. To a Point 49 miles North of the post on of Sep. 18/19 on the Old B. 17 Land broken 1 st rate; Timber N. Oak Buck & Ash. N. 9. Spies, &c.
East 15.05. 27.31	On the line between Jul 18/19 T. 10. N. R. 17. To a Buck, 19 in air at the end in the line. To the air. of sep. 17. 18. 19. 20.
East 40.00	Return Jul 18/19 T. 10. N. R. 17. Set a trap for sup. post from whit, Buck 17 in air from. T. 82 N. 11 miles dist; to Lugan 7 " " " N. 43 N. 13 " "
39.20.	Introduced the Indian Bormat line & set a post for the air of frack. Jul 18/19 from whit, Buck 15 in air from. - 74 N. 13 miles dist; to Buck 16 " " " N. 68 E. 19 " "

Land hilly & middling good for farming. Timber Oak,
Buck, Poplar, &c.

North 22.28. 40.00	Return Jul 17/18 T. 10. N. R. 17. To a Hickory 22 in air in the line. Set a trap for sup. post from whit, Hornum 3 in air from. N. 43 E. 8 the dist; to Dogwood 4 " " " N. 67 N. 18 " "
59.65.	To a Buck 22 in air in the line.
65.00	To a Buck 29 in air in the line.
80.00	Set a post for the air of sep. 7. 8. 17. 18 from whit, Lugan 6 in air from. N. 47 N. 7 miles dist; to Buck, 17 " " " N. 47 E. 14 " "
	Land broken 1 st rate; Timber Buck, N. Oak, B. Oak, Hickory &c. N. 9. Dogwood, Summwood, Spies, &c.
West 40.00	On a Random line between Jul 8/17 T. 10. N. R. 17. Set a trap for sup. post.
73.20.	To a Buck 10 miles near, leaves &c.
79.53.	Introduced the N. 18 line 8 miles South of the post on of Sep. 7. 8. 17. 18. Land broken 1 st rate; Timber N. Oak, Buck, Ash, Lugan, &c. N. 9. Spies. Hazle,
East 17.33. 39.76.	On the line between Jul 8/17 T. 10. N. R. 17. To a Buck, 6 in air in the line. Set the trap for sup. post at the air. dist in the line from whit, Hornum, 3 in air from. N. 34 N. 11 the dist; under a Buck, 4 " " " N. 46 E. 16 " "
57.93	To a Buck, 18 in air in the line.
79.53.	To the air of sep. 8. 9. 16. 17.
West 40.00	On a Random line between Jul 7/18 T. 10. N. R. 17. Set a trap for sup. post.

T. N. 10 N. R. N. 1 W. 2nd Mer. Ind.

49.50. Intersect the West B. 10 miles South of the post on of the
 12113 T. 10 N. R. 2 W. Lande Broken 13th rate; Timber
 Hickory, Beech, White Oak, Ash, Y. W. Sassafras, Hickory,
 Oak, Birch &c.

East On the line between Sec 7 & 18 T. 10 N. R. 1 W.
 14.07 To a Hickory 22 in dia. stands in the line.
 39.75 Set the trap for 1/2 super at the av. dist on the line from
 from which, Beech 26 in dia. bears N 57 W. 160 yds dist
 made a. Do. 16 " " N 10 E 19 "

53.30 To a Hickory 14 in dia. in the line.

49.50 To the post on of the 7.8.17 & 18.

North Return Sec 7 & 18, T. 10 N. R. 1 W.

24.00 To a Sugar. 16 in dia. in the line.

40.00 Set a 1/2 super from which,

Beech 4 in dia. bears North 24- 10 W. dist 14
 W Oak 17 " " S 78 E 14 " "

61.11 To a W Oak 27 in dia. in the line.

80.00 Set a post for the corner 5.6.7 & 8 from which,

Beech 5 in dia. bears S 66 W. 18 yds dist, &c.
 Do. 6 " " S 87 E 16 " "

Lande Broken 13th rate. Timber W. B. Oak, Beech,
 Hickory &c. W. Logwood, Sassafras, Hickory, Hack-
 berry, &c.

West Return Sec 5 & 18 On a Random line T. 10 N. R. 1 W.

40.00 Set a trap for 1/2 super.

49.59 Intersect the W. B. line 28 W. South of the
 post on of the 5.6.7 & 8. Lande Broken 13th rate;
 Timber W. B. Oak, Beech, Sugar, Hickory, Poplar, &c.
 W. Logwood, Sassafras, Oak, Hickory, Birch &c.

T. N. 10 N. R. N. 1 W. 2nd Mer. Ind.

East On the line between Sec 5 & 18 T. 10 N. R. 1 W.

12.00 To a W Oak 26 in dia. stands in the line.

39.79 Set the trap for 1/2 super at the av. dist on the line from
 from which, Sugar. 16 in dia. bears S 22 W. 26 yds dist
 made a. Do. 16 " " N 10 E 29 "

59.81 To a Poplar 32 in dia. in the line.

49.59 To the post on of the 4.5.8 & 9.

West On a Random line between Sec 6 & 17 T. 10 N. R. 1 W.

40.00 Set a trap for 1/2 super.

49.89 Intersect the West B. 24 miles South of the post on of
 Sec 1 & 12 T. 10 N. R. 2 W. Lande Broken 13th
 rate; Timber W. Oak, B. Oak, Beech, Hickory &c.
 W. Sassafras, Hickory, Logwood, Birch &c. 1819.

East On the line between Sec 6 & 17 T. 10 N. R. 1 W.

20.14 To a Hickory 19 in dia. in the line.

39.94 Set the trap for 1/2 super at the av. dist on the line from
 from which, Beech 14 in dia. bears N 64 W. 19 yds dist, &c.
 Do. 4 " " S 57 E 16 "

46.99 To a W Oak 30 in dia. in the line

49.80 To the post on of the 5.6.7 & 8.

North Return Sec 5 & 16 T. 10 N. R. 1 W.

21.74 To a Sp. Oak 54 in dia. in the line.

40.00 Set a 1/4 super from which,

Logwood 6 in dia. bears N 47 W. 11 yds dist, &c.
 Do. 5 " " S 23 E 18 "

60.68 To a Beech 17 in dia. in the line.

83.00 Intersect the N. B. line 12.21 miles East of the post on of the
 31 & 32 T. 11 N. R. 1 W. and set a post for the corner
 5 & 6 from which
 W Oak 34 in dia. bears S 57 W. 10 yds dist, &c.

79.50. Enter at the West 137 10 miles South of the post on of 1st.
12113 T. 10 NR 27. Land broken to 3000 ft. Timber
Hickory, Beech, Oak, Ash, Y. Wg. Sassafras, Hickory,
Oak, Birch &c.

East On the line between Sec 7 & 18 T 10 NR 17.
14.07 To a Hickory 22 in dia. stands in the line.
39.75 Set the trap for a squirrel at the air duct on the line from
from which, Beech 26 in dia. bears N 57 W. 160 ft. dist. to
cane w. Do. 16 " " S 10 E. 19 " "

53.30 To a Hickory 14 in dia. in the line.
79.50 To the post on of 1st. 7.8.17 & 18.

North Return Sec 7 & 18 T 10 NR 17.
24.00 To a Sugar. 16 in dia. in the line.
40.00 Set a squirrel trap from which,
Beech 4 in dia. bears North 24- 100 ft. dist. to
Oak 17 " " S 78 E 14 " "
61.11 To a Oak. 24 in dia. in the line.
80.00 Set a post for the corner 5.6.7 & 8 from which,
Beech 5 in dia. bears S 56 W. 18 miles dist. to
Do. 6 " " S 57 E 16 " "
Land broken to 3000 ft. Timber N 13 Oak, Beech
Hickory &c. Wg. Dogwood Sassafras Hickory Hack-
berry &c.

West Return Sec 5 & 18 On a Random line T 10 NR 17.
40.00 Set a squirrel trap for a squirrel.
79.59 Enter at the W. Boundary of N 13 line 28 miles South of the
post on of 1st. 5.6.7 & 8. Land broken to 3000 ft. Timber
N 13 Oak, Beech, Sugar, Hickory, Poplar, &c.
Wg. Dogwood, Sassafras, Oak, Hickory, Birch &c.

East On the line between Sec 5 & 18 T 10 NR 17.
12.00 To a Hickory 26 in dia. stands in the line.
39.79 Set the trap for a squirrel at the air duct on the line from
from which, Immort. 6 in dia. bears S 22 W. 26 ft. dist.
cane w. Sugar. 13 " " S 10 E. 19 " "
59.81 To a Poplar. 30 in dia. in the line.
79.59 To the post on of 1st. 4.5.8 & 9.

West On a Random line between Sec 6 & 17 T 10 NR 17.
40.00 Set a squirrel trap for a squirrel.
79.89 Enter at the West 137 24 miles South of the post on of 1st.
Sec 1712 T. 10 NR 27. Land broken to 3000 ft.
Timber N 13 Oak, Beech, Hickory &c.
Wg. Sassafras, Hickory, Dogwood, Birch Dec. 4 1819.

East On the line between Sec 6 & 17 T 10 NR 17.
20.14 To a Hickory 19 in dia. in the line.
39.94 Set the trap for a squirrel at the air duct on the line from
from which, Beech 14 in dia. bears N 64 W. 19 ft. dist. to
Do. 4 " " S 57 E. 16 " "
46.99 To a Oak. 30 in dia. in the line
79.80 To the post on of 1st. 5.6.7 & 8.

North Return Sec 5 & 16 T 10 NR 17.
21.74 To a Sp. Oak. 54 in dia. in the line.
40.00 Set a squirrel trap from which,
Dogwood 6 in dia. bears N 45 W. 11 miles dist. to
Do. 5 " " S 23 E. 18 " "
60.68 To a Beech 17 in dia. in the line.
83.00 Enter at the N Boundary 1221 miles East of the post on of 1st.
31 & 32 T. 11 NR 17 and set a post for the corner
5 & 6 from which,
Oak 34 in dia. bears S 57 W. 10 ft. dist. to,

T. N. 10. N. R. N. 1772. N. M. Ind.

Beck 18 in north line. N 41 E. 27 1/2 mi. dist.
Land broken into 13th rate, Timber Oak, Beech,
Sugar, Sp Oak, Hick, Poplar & Ash, (N) Spruce,
Hogwood Ash, Hives &c. &c.

The part of this Township lying in Harrison's Purchase
was surveyed by

William Harris, L.S.

The part lying North of Harrison's Purchase
was surveyed by

Thomas Brown L.S.

I certify that the foregoing Transcript of the field
notes of Township N. 10 North of Range N. 1 West
of the 2nd Principal Meridian, in Indiana, has
been compared with the Original notes in this office
and found to be correct.
Surveyor General's Office,
Cincinnati, Oct. 27. 1841

Sur. General.

Compt.

Township N. 11. North of Range N. 1 West 2nd Meridian Indiana

South Boundary. r. 600

15.

West Quaker Run line On the South 1/2 of sec. 36.
T. N. R. 177.

40,00 Set a temp. post.

40,00 To a Rock 30 links mid. corner N.W.

47,00 " " Spring corner N.W.

80,00 Set a temp. post for the cor. of sec. 35 & 36.
Land broken & hilly Timber same.

West Quaker Run line On the South 1/2 of sec. 35.
T. N. R. 177.

40,00 Set a temp. post.

80,00 Set a temp. post for the cor. of sec. 34 & 35.
Land broken & hilly Timber Oak, Beech, Poplar,
&c. very brushy.

West Quaker Run line On the South 1/2 of sec. 34.
T. N. R. 177.

40,00 Set a temp. post.

79,50 To a Rock 30 links mid. corner N.W.

80,00 Set a temp. post for the cor. of sec. 33 & 34.
Land had some mowing good for farming Timber
Oak, Beech, Ash &c. 2nd rate land.

Friday May 21. 1817.

West Quaker Run line On the South 1/2 of sec. 33.
T. N. R. 177.

40,00 Set a temp. post.

80,00 Set a temp. post on the line for the cor. of sec. 32 & 33.
Land very broken & hilly; Good soil Timber same

West Quaker Run line On the South 1/2 of sec. 32.
T. N. R. 177.